

MATH 2802
FINAL EXAM, VERSION A

Name		Section	
-------------	--	----------------	--

Please **read all instructions** carefully before beginning.

- There are 10 problems in the exam. Each problem is worth 10 and the maximum score on this exam is 100 points.
- **Read through** all the exam *before starting* to solve the problems. Start with subproblems that are easy/fast to solve.
- You have 170 minutes to complete this exam.
- There are no aids of any kind (notes, text, etc.) allowed.
- Please show your work. You may use the last two pages as scratch paper.
- You may cite any theorem proved in class or in the sections we covered in the text.
- Good luck!

Georgia Tech Honor Code

Having read the Georgia Institute of Technology Academic Honor Code, I understand and accept my responsibility as a member of the Georgia Tech community to uphold the Honor Code at all times. In addition, I understand my options for reporting honor violations as detailed in the code.

Signature

Date

1. a) [4pts] Let $T : \mathbf{R}^3 \rightarrow \mathbf{R}^3$ be defined by $T(x) = Ax$ with $A = \begin{pmatrix} 1 & -2 & 0 \\ -2 & 4 & 1 \\ -3 & 6 & 0 \end{pmatrix}$.

The image of the unit vector e_1 is:

The image of the unit vector e_2 is:

The image of the unit vector e_3 is:

Is the transformation T onto? why or why not?

- b) [2pts] Give the 2×2 matrix A_1 associated to a rotation in \mathbf{R}^2 by an angle of 45° degrees.

- c) [2pts] Given the 2×2 matrix A_2 associated that projects vectors to the line $x_1 = -x_2$.

- d) [2pts] For this problem, use the matrices from **b)**-**c)**.
If $U : \mathbf{R}^2 \rightarrow \mathbf{R}^2$ is defined by $U(x) = A_1 A_2 x$, describe what the transformation U does to the unit vectors.

2. [2 points each] Circle **T** if the statement is always true and circle **F** if it is ever false. Let A be an $n \times n$ matrix with column vectors v_1, v_2, \dots, v_n and let $T(x) = Ax$.

- a) **T** **F** The range of T is the same subspace as $ColA$.
- b) **T** **F** If v_1, \dots, v_n are linearly dependent then T is not a one-to-one function.
- c) **T** **F** If the dimension of $ColA$ is 3, then any 3 vectors in $ColA$ form a basis of $ColA$.
- d) **T** **F** If $\det(A) = -1$ then the columns of A are linearly dependent.
- e) **T** **F** The volumen of the paralelepid formed by v_1, \dots, v_n equals $\det(A)$.

3. [2 points each] Circle **T** if the statement is always true and circle **F** if it is ever false. The matrix A is $n \times n$.

- a) **T** **F** If A is diagonalizable matrix, then A is invertible.
- b) **T** **F** If the algebraic multiplicities of all eigenvalues of A sum up to n then A is diagonalizable.
- c) **T** **F** If v satisfies $Av = v$, then v is a steady-state vector of A .
- d) **T** **F** If y is a vector in a subspace W then $proj_W(y) = 0$.
- e) **T** **F** If c is a scalar and v is a vector then $\|cv\| = c\|v\|$.

4. a) [4pts] Use the row reduction below to find the LU factorization of A .

$$A = \begin{pmatrix} 2 & 4 & -1 \\ -4 & -5 & 3 \\ 2 & -5 & -4 \end{pmatrix} \sim \begin{pmatrix} 2 & 4 & -1 \\ 0 & 3 & 1 \\ 0 & -9 & -3 \end{pmatrix} \sim \begin{pmatrix} 2 & 4 & -1 \\ 0 & 3 & 1 \\ 0 & 0 & 0 \end{pmatrix}$$

- b) [4pts] Use row reduction to compute the inverse of $B = \begin{pmatrix} 8 & -4 & 0 \\ -4 & 8 & 0 \\ -2 & 0 & 2 \end{pmatrix}$.

- c) [2pts] An economy sector has production matrix C . Use the Leontief formula

$$(I - C)x = d$$

to find the production vector x required to meet a demand of $d = \begin{pmatrix} 100 \\ 100 \\ 100 \end{pmatrix}$.

(Hint: Use that $(I - C)^{-1} = 10B^{-1}$)

5. Let $A = \begin{pmatrix} 2 & 0 & 5 & 2 \\ -6 & 3 & -13 & -3 \\ 4 & 9 & 16 & 17 \end{pmatrix} \sim \begin{pmatrix} 1 & 0 & 5/2 & 1 \\ 0 & 1 & 2/3 & 1 \\ 0 & 0 & 0 & 1 \end{pmatrix}$

a) [3pts] Find a basis for $NulA$

b) [2pts] Find a linear dependency among the columns of A .

c) [3pts] Write down 3 distinct ways to verify whether a matrix B is invertible.
(Hint: recall the invertible matrix theorem)

d) [2pts] What is the determinant of $B = \begin{pmatrix} 4 & 3 & 2 & 1 \\ 4 & 3 & 2 & 1 \\ 4 & 3 & 2 & 1 \\ 4 & 3 & 2 & 1 \end{pmatrix}$?

6. Let $v_1 = \begin{pmatrix} 1 \\ 1 \\ -1 \end{pmatrix}$, $v_2 = \begin{pmatrix} 1 \\ 1 \\ 0 \end{pmatrix}$ and $v_3 = \begin{pmatrix} 2 \\ 2 \\ 2 \end{pmatrix}$.

a) [2pts] Is $\{v_1, v_2\}$ a basis of $W = \text{Span}\{v_1, v_2\}$? Justify.

b) [4pts] Is $\{v_1, v_2\}$ an orthogonal basis of W ? If not, find an orthogonal basis $\{u_1, u_2\}$ of W .

c) [4pts] Find the distance between v_3 and the plane W .

7. Let $A = \begin{pmatrix} 3 & 0 & 0 \\ 0 & 3 & 1 \\ 0 & 1 & 3 \end{pmatrix}$:

a) [6pts] The eigenvalues of A are 4, 3 and 2. Find an orthogonal decomposition of A .

b) [1pt] Classify the quadratic form $Q(x) = x^T A x$ (i.e. indefinite, negative semidefinite, etc.):

c) [1pt] The quadratic form $Q(x) = x^T A x$, subject to the constraint $x^T x = 1$, has maximum value:

d) [2pts] According to the SVD decomposition of $B = \begin{pmatrix} 4 & 11 & 14 \\ 8 & 7 & -2 \end{pmatrix}$,

$$B = \begin{pmatrix} 3/\sqrt{10} & 1/\sqrt{10} \\ 1/\sqrt{10} & -3/\sqrt{10} \end{pmatrix} \begin{pmatrix} 6\sqrt{10} & 0 & 0 \\ 0 & 3\sqrt{10} & 0 \end{pmatrix} \begin{pmatrix} 1/3 & 2/3 & 2/3 \\ -2/3 & -1/3 & 2/3 \\ 2/3 & -2/3 & 1/3 \end{pmatrix}.$$

the singular values of B are:

8. A mouse lives in a maze with 4 rooms. At every hour it moves from the room where it stands to one of the adjacent rooms with equal probability.

a) [4 points] Find a steady-state vector for matrix $P = \begin{pmatrix} 0 & 1/2 & 1/2 \\ 1/2 & 0 & 1/2 \\ 1/2 & 1/2 & 0 \end{pmatrix}$.

b) [2 points] In the long run, is there a room where the mouse is more likely to be at a given time?

c) [2 points] Design a mouse maze that matches the transition matrix P .

d) [2 points] Let $Q = \begin{pmatrix} 1-a & b \\ a & 1-b \end{pmatrix}$ and find an eigenvector of Q with eigenvalue 1.

9. Celia has one hour to spend at the CRC, and she wants to jog, play handball, and ride a stationary bike. Jogging burns 13 calories per minute, handball burns 11, and cycling burns 7. She jogs twice as long as she rides the bike. She wants to participate in each of these activities in order to burn exactly 600 calories.

a) [4pts] Let x, y, z represent the minutes Celia takes in playing handball, jogging and cycling. Setup a system of 3 equations that represent the problem above.

b) [3pts] Write the system of equations above as a matrix equation $A \begin{pmatrix} x \\ y \\ z \end{pmatrix} = b$.

Is the matrix equation consistent?

c) [3pts] If the system were to be inconsistent, **describe** the procedure of least-squares applied to $A \begin{pmatrix} x \\ y \\ z \end{pmatrix} = b$ (do not perform any computations).

10. [2 points each] The following matrices are decomposed using different methods: LU-factorization, QR-factorization, diagonalization, orthogonal diagonalization, and decomposition according to singular values.

Write down which method is used in each of the cases.

a) $A = \begin{pmatrix} 7 & 2 \\ -4 & 1 \end{pmatrix} = \begin{pmatrix} 1 & 1 \\ -1 & -2 \end{pmatrix} \begin{pmatrix} 5 & 0 \\ 0 & 3 \end{pmatrix} \begin{pmatrix} 2 & 1 \\ -1 & -1 \end{pmatrix}$

b) $A = \begin{pmatrix} 4 & 11 & 14 \\ 8 & 7 & -2 \end{pmatrix} = \begin{pmatrix} 3/\sqrt{10} & -1/\sqrt{10} \\ 1/\sqrt{10} & -3/\sqrt{10} \end{pmatrix} \begin{pmatrix} 6\sqrt{10} & 0 & 0 \\ 0 & 3\sqrt{10} & 0 \end{pmatrix} \begin{pmatrix} 1/3 & 2/3 & 2/3 \\ -2/3 & -1/3 & 2/3 \\ 2/3 & -2/3 & 1/3 \end{pmatrix}$

c) $A = \begin{pmatrix} 7 & 2 \\ 2 & 4 \end{pmatrix} = \begin{pmatrix} 2/\sqrt{5} & -1/\sqrt{5} \\ 1/\sqrt{5} & 2/\sqrt{5} \end{pmatrix} \begin{pmatrix} 8 & 0 \\ 0 & 3 \end{pmatrix} \begin{pmatrix} 2/\sqrt{5} & 1/\sqrt{5} \\ -1/\sqrt{5} & 2/\sqrt{5} \end{pmatrix}$

d) $A = \begin{pmatrix} 2 & 4 & -1 \\ -4 & -5 & 3 \\ 2 & -5 & -4 \end{pmatrix} = \begin{pmatrix} 1 & 0 & 0 \\ -2 & 1 & 0 \\ 1 & 3 & 1 \end{pmatrix} \begin{pmatrix} 2 & 4 & -1 \\ 0 & 3 & 1 \\ 0 & 0 & 0 \end{pmatrix}$

e) $A = \begin{pmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{pmatrix} = \begin{pmatrix} 1/2 & -3/\sqrt{12} & 0 \\ 1/2 & 1/\sqrt{12} & -2/\sqrt{6} \\ 1/2 & 1/\sqrt{12} & 1/\sqrt{6} \\ 1/2 & 1/\sqrt{12} & 1/\sqrt{6} \end{pmatrix} \begin{pmatrix} 2 & 3/2 & 1 \\ 0 & 3/\sqrt{12} & 2/\sqrt{12} \\ 0 & 0 & 2/\sqrt{6} \end{pmatrix}$

[Scratch work]

Scoring Table

Please do not write on this area.

1	2	3	4	5	6	7	8	9	10	Total

[Scratch work below this line]